



With over 30 years of experience, FloPlast is a leading manufacturer and supplier of Plastic Building and Plumbing Systems in the UK.

FloPlast consistently produce high-quality products and provide an excellent service to both stockist and end users. We ensure that products are supplied to Builders and Plumbers Merchants, Groups and DIY outlets in the most cost-effective manner.

Merchant Ordering Information:

Pack Quantities

For ease of storage, handling and protection, FloPlast products are supplied in standard pack quantities (QTY) as detailed in this brochure.

You are requested to order in these pack quantities or in multiples.

Minimum Order Value

Goods are delivered free of charge for orders in excess of our minimum order value of £950. Orders may be combined to include products from any of the FloPlast range.

Stillages

All products are delivered on stillages which are the property of FloPlast Ltd, these will be both logged and registered accordingly, prior to return. All stillages must be returned on the delivery vehicle.

Terms & Conditions of Sale

Goods are sold subject to our Standard Terms and Conditions of Sale, copies of which are available upon request. This price list does not constitute an offer. All prices and discount terms are subject to alteration without notice. Prices quoted are given in GBP and exclusive of VAT which will be added to the invoice at the applicable rate. E&OE.

Roofline, Window & Cladding Systems

White PVC-UE Roofline Board	6
White Box End Board	6
White Fixings	7
White Roofline Joints and Trims	8
White Window Systems	10
White Cladding Systems	11
NEW Smooth Black and Grey PVC-UE Roofline Board	12
NEW Smooth Black and Grey Roofline Joints and Trims	12
Woodgrain PVC-UE Roofline Board	14
Woodgrain Roofline Joints & Trims	15
Woodgrain Window Systems	15
Woodgrain Cladding Systems	16
Woodgrain Fixings	16

Rainwater Systems

112mm Half Round System	20
68mm Round Downpipe Fittings	21
114mm Square Line System	22
65mm Square Downpipe Fittings	23
110mm Niagara Ogee System	24
115mm Hi-Cap System	26
80mm Round Downpipe Fittings	27
76mm MiniFlo System	28
MiniFlo Half Shed Pack	28
EcoFlo Diverters & Storage	29
Spare Gutter Seals	29
Spare Gutter Clips	29
170mm XtraFlo System	30
110mm Round Downpipe Fittings	30
"Cast Iron" Style 112mm Half Round System	32
Spare Gutter Seals	32
Spare Gutter Clips	32
"Cast Iron" Style 115mm Hi-Cap System	33
"Cast Iron" Style 68mm Round Downpipe Fittings	33
"Cast Iron" Style 110mm Niagara Ogee System	34
Accessories & Fittings	34
"Cast Iron" Style 65mm Square Downpipe Fittings	35
"Cast Iron" Style Hoppers	35
Motifs for Hoppers	35
Stormsaver Rainwater Harvesting	36
Leaf & Weather Protection	37
Ancillaries	37

Soil & Waste Systems

Air Admittance Valves	40
Soil-WC Connectors	40
110mm Ring Seal Soil Systems	41
110mm Ring Seal Reducers & Adaptors	43
"Cast Iron" Style 110mm Ring Seal Soil Systems	44
110mm Solvent Soil Systems	46
ABS Solvent Weld Waste Systems	47
Push-Fit Waste Systems	49
FlexiFlo Connectors	49
Waste Trap Fittings	50
Unicom Compression Waste Systems	52
"Chrome" Style Compression Waste	52
"Chrome" Style Waste Traps	52
21.5 mm Overflow Waste Systems	53
Ancillaries	53
NEW 110mm Acoustic Soil	54
NEW 160mm Acoustic Soil	56
NEW 40mm Acoustic Waste	57
NEW 50mm Acoustic Waste	58

Underground Drainage Systems

110mm Pipe & Fittings	62
110mm Gullys	64
110mm Adaptors	64
110mm Hoppers & Grids	65
160mm Pipe & Fittings	66
160mm Adaptors & Plugs	67
Large Inspection Chambers (LIC)	68
Mini Access Chambers (MAC)	69
Level Invert Chambers	69
FloDrain 110mm Channel Drainage	70
FloDrain Garage Packs	70
Land Drainage	71
GroundGuard	71
Drainage Crate	71

MDPE Systems

'Supreme' MDPE Fittings	74
MDPE Pipe	75

Hot & Cold Plumbing Systems

FloFit+ Fittings	78
FloFit+ Pipe	79



Roofline, Window & Cladding Systems

FloPlast Roofline, Window & Cladding extrusions are manufactured on state of the art machinery and extrusion dies at the group's Cork plant, which has over 40 year's experience behind it.

Quality is Guaranteed.

Available in a wide range of high gloss finishes, FloPlast co-extruded white PVC-UE boards and Woodgrain Foil PVC-UE boards come with a **20 Year Product Guarantee** for White and a **10 Year Product Guarantee** for Woodgrain Roofline, Window & Cladding products in respect of performance and significant discolouration.

The guarantee is subject to registration of the installation, which can be done through the FloPlast website.

FloPlast boards offer a low maintenance solution to both Roofline and Window Systems construction.

Range Benefits



Low
Maintenance



Durable
& Resistant



Workable
Material




Resistant to
moisture



White PVC-UE Roofline Board

For use in new build work, total replacement or refurbishment.



Product	Size	Qty	Code
Universal Board - 9mm (£ Price per 5m)			
	Single Leg: 100mm	2	U100
	150mm	2	U150
	175mm	2	U175
	200mm	2	U200
	225mm	2	U225
	250mm	2	U250
	275mm	2	U275
	300mm	2	U300
	Double Leg: 354mm	2	U354
	454mm	1	U454
Ogee Fascia Board - 10mm (£ Price per 5m)			
	Single Leg: 150mm	2	O150
	175mm	2	O175
	200mm	2	O200
	225mm	2	O225
	250mm	2	O250
	Double Leg: 404mm	2	O404
Mammoth Board - 18mm (£ Price per 5m)			
	Single Leg: 150mm	2	M150
	175mm	2	M175
	200mm	2	M200
	225mm	2	M225
	250mm	2	M250
	300mm	2	M300
	Double Leg: 404mm	1	M404

Product	Size	Qty	Code
Ogee Mammoth Board - 18mm (£ Price per 5m)			
	Single Leg: 150mm	2	G150
	175mm	2	G175
	200mm	2	G200
	225mm	2	G225
	250mm	2	G250
	300mm	2	G300

Usage Suitability	Universal Board	Ogee Fascia	Mammoth Board	Ogee Mammoth
Fascia Refurbishment	•	•		
Window Board	•		•	
Reveal Liner	•		•	
Replacement/New Build			•	•

White Box End Board



The versatility of FloPlast's Roofline boards allows for an extensive choice of box ends to neatly finish off any profile fascia board.

Product	Size	Qty	Code
Universal Box End Board - 9mm (£ Price per 1.25m)			
	450mm	2	UB450
Mammoth Box End Board - 18mm (£ Price per 1.25m)			
	404mm	2	MB404
Ogee Box End Cover - 18mm (£ Price each)			
	404 x 60mm	2	RT19

White PVC-UE Roofline Soffit Board

For use in new build work, total replacement or refurbishment.



Product	Size	Qty	Code
Multi-Purpose Soffit Board - 10mm (£ Price per 5m)			
Single Round Edge: 	100mm	2	S100
	150mm	2	S150
	175mm	2	S175
	200mm	2	S200
	225mm	2	S225
	250mm	2	S250
	500mm	1	S500
Double Round Edge: 	304mm	2	S304
	404mm	2	S404
	600mm	1	S600
Vented Soffit - 10mm (£ Price per 5m)			
Single Round Edge: 	100mm	2	V100
	150mm	2	V150
	175mm	2	V175
	200mm	2	V200
	225mm	2	V225
	250mm	2	V250
	500mm	1	V500
Double Round Edge:	304mm	2	V304
	404mm	2	V404
	600mm	1	V600
Hollow Soffit (£ Price per 5m)			
	300mm	5	H300

Product	Size	Qty	Code
Hollow Soffit Trim (£ Price per 5m)			
	'J'	10	HJ
	'H'	10	HH

White Fixings

A4 Stainless Steel Pins/Nails with plastic heads.

Product	Size	Colour	Qty	Code
FloTop Pin (£ Price per 250 box)				
	30mm		1	FP30
	40mm		1	FP40
FloTop Nail (£ Price per 100 box)				
	50mm		1	FN50
	65mm		1	FN65
Clad Pin (£ Price per 250 box)				
	30mm	N/A	1	CP30
	50mm	N/A	1	CP50




White Roofline Joints and Trims

Matching white PVC-U mouldings cater for all joints and corners.



Product	Size	Qty	Code
In-Line Joint (£ Price each)			
	300 x 42mm	10	RT1
	500 x 35mm	10	RT2
	500 x 42mm	10	RT3
RT2 - Double-ended joint is available to be cut to size. RT3 - Double-ended joint is available to be cut to size.			
Corner Joint (£ Price each)			
	300 x 42mm	10	RT4
	500 x 35mm	10	RT5
	500 x 42mm	10	RT6
RT5 - Double-ended joint is available to be cut to size. RT6 - Double-ended joint is available to be cut to size.			
Internal Corner Joint (£ Price each)			
	300 x 42mm	10	RT7
External 135° Corner Joint (£ Price each)			
	300 x 42mm	10	RT10
Ogee In-Line Joint (£ Price each)			
	300 x 50mm	10	RT11
	500 x 50mm	10	RT12
RT12 - Double-ended Ogee joint is available to be cut to size.			

Product	Size	Qty	Code
Ogee External Corner Joint (£ Price each)			
	300 x 50 x 50mm	10	RT14
	500 x 50 x 50mm	10	RT15
RT15 - Double-ended Ogee joint is available to be cut to size.			
Ogee Internal Corner Joint (£ Price each)			
	300 x 42mm	10	RT17
Ogee Box End Cover - 18mm (£ Price each)			
	404 x 60mm	10	RT19
In-Line Jointing Trim (£ Price per 5m)			
	10 x 20mm	10	RT20
Edge Capping / Window Board Channel (£ Price per 5m)			
	10 x 11mm	10	RT21
Bargeboard Moulding			
	500mm	1	RT22
White Finial (£ Price each)			
	340mm	5	RT23
	900mm	1	RT29

Product	Size	Qty	Code
Soffit Ventilator (£ Price per 5m)			
	N/A	10	RT24
Disc Soffit Ventilator (£ Price each)			
	75mm	20	RT25
Soffit Ventilator with Mesh (£ Price per 5m)			
	N/A	10	RT27
Eaves Protection System (£ Price per pack)			
	1.5m	10	EPS




White Window Systems



Product	Size	Qty	Code
Architrave-Pencil Round (£ Price per 5m)			
	45 x 6mm	10	WT1
	65 x 6mm	10	WT2
	95 x 6mm	10	WT3
D Section (£ Price per 5m)			
	28 x 6mm	20	WT4
Edge Fillet (£ Price per 5m)			
	20mm	25	WT5
Quadrant (£ Price per 5m)			
	12mm	10	WT6
	19mm	10	WT7
Square (£ Price per 5m)			
	15 x 13mm	25	WT8

Product	Size	Qty	Code
Angle (£ Price per 5m)			
	100 x 80mm 90° Hollow	5	WT30
	25 x 25mm 90° Rigid	10	WT31
	50 x 50mm 90° Rigid	10	WT32
	25 x 25mm Flexi	10	WT36
	35 x 35mm Flexi	10	WT37
	75 x 75mm Flexi	5	WT38
Board End Moulding (£ Price per pair/per item)			
	42 x 50mm (pair)	5	WT14
	42 x 315mm (1 item)	10	WT15



White Cladding Systems

BS EN 13245-2 Attestation Level 4



Product	Size	Qty	Code
V Joint Cladding (£ Price per 5m)			
	100mm	5	C100
Shiplap Cladding (£ Price per 5m)			
	150mm	5	C150
Top Edge Trim - Two Part (£ Price per 5m)			
	N/A	5	CT1
Starter Trim (£ Price per 5m)			
	N/A	10	CT2
Universal Channel (£ Price per 5m)			
	N/A	10	CT3
Drip Trim (£ Price per 5m)			
	N/A	10	CT4
Internal/External Corner - Two Part (£ Price per 5m)			
	N/A	5	CT5
Centre Joint Trim (£ Price per 5m)			
	N/A	10	CT7
Butt Joint Trim (£ Price each)			
	150mm	10	CT8




Smooth Black (SB)
Smooth Grey (SG)

Smooth Black and Grey Roofline



Smooth Black & Grey PVC-UE Roofline and Soffit Board


Product	Size	Colour	Qty	Code
Universal Board - 9mm (£ Price per 5m)				
Single Leg 	150mm	SB SG	2	U150
	175mm	SB SG	2	U175
	200mm	SB SG	2	U200
	225mm	SB SG	2	U225
	250mm	SB SG	2	U250
	300mm	SB SG	2	U300
Double Leg	450mm	SB SG	1	U450
Multi-Purpose Soffit Board - 10mm (£ Price per 5m)				
Round Edge 	150mm	SB SG	2	S150
	200mm	SB SG	2	S200
Hollow Soffit (£ Price per 5m)				
	300mm	SB SG	5	H300
Hollow Soffit Trim (£ Price per 5m)				
	‘J’	SB SG	10	HJ
	‘H’	SB SG	10	HH

Black & Grey Fixings

A4 Stainless Steel Pins/Nails with plastic heads.

Product	Size	Colour	Qty	Code
FloTop Pin (£ Price per 250 box)				
	40mm	B G	1	FP40
FloTop Nail (£ Price per 100 box)				
	50mm	B G	1	FN50
	65mm	B G	1	FN65

Smooth Black & Grey PVC-U Joints and Trims

Product	Size	Colour	Qty	Code
In-Line Joint (£ Price each)				
	300 x 42mm	SB SG	10	RT1
	500 x 42mm	SB SG	10	RT3
RT3 - Double-ended joint is available to be cut to size.				
Corner Joint (£ Price each)				
	300 x 42mm	SB SG	10	RT4
	500 x 42mm	SB SG	10	RT6
RT6 - Double-ended joint is available to be cut to size.				
Internal Corner Joint (£ Price each)				
	300 x 42mm	SB SG	10	RT7
External 135° Corner Joint (£ Price each)				
	300 x 42mm	SB SG	10	RT10
Finial (£ Price each)				
	340mm	SB SG	10	RT23
Soffit Ventilator (£ Price per 5m)				
	N/A	SB SG	10	RT24
Soffit Ventilator with Mesh (£ Price per 5m)				
	N/A	SB SG	10	RT27







Black Ash (WB),
Anthracite Grey (WA),
Rosewood (WR).

Woodgrain Laminate Roofline



Woodgrain PVC-UE Roofline Board



For use in new build work, total replacement or refurbishment.

Product	Size	Colour	Qty	Code
Universal Board - 9mm (£ Price per 5m)				
 Single Leg:	150mm	WB WA WR	2	U150
	175mm	WB WA WR	2	U175
	200mm	WB WA WR	2	U200
	225mm	WB WA WR	2	U225
	250mm	WB WA WR	2	U250
	300mm	WB WA WR	2	U300
Double Leg:	454mm	WB WA WR	1	U454
Mammoth Board - 18mm (£ Price per 5m)				
 Single Leg:	150mm	WB WA WR	2	M150
	175mm	WB WA WR	2	M175
	200mm	WB WA WR	2	M200
	225mm	WB WA WR	2	M225
	250mm	WB WA WR	2	M250
Double Leg:	404mm	WB WA WR	1	M404
Universal Box End Board - 9mm (£ Price per 1.2m)				
	454mm	WB WA WR	2	UB454
Mammoth Box End Board - 18mm (£ Price per 1.2m)				
	404mm	WB WA WR	2	MB404

Usage Suitability	Universal Board	Mammoth Board
Fascia Refurbishment	•	
Window Board	•	•
Reveal Liner	•	•
Replacement/New Build		•

Woodgrain PVC-UE Roofline Soffit

For use in new build work, total replacement or refurbishment.

Product	Size	Colour	Qty	Code
Multi-Purpose Soffit Board - 10mm (£ Price per 5m)				
 Single Round Edge:	100mm	WB WA WR	2	S100
	150mm	WB WA WR	2	S150
	175mm	WB WA WR	2	S175
	200mm	WB WA WR	2	S200
	225mm	WB WA WR	2	S225
	250mm	WB WA WR	2	S250
Double Round Edge:	304mm	WB WA WR	2	S304
	404mm	WB WA WR	2	S404
Vented Soffit - 10mm (£ Price per 5m)				
 Single Round Edge:	150mm	WB WA WR	2	V150
	175mm	WB WA WR	2	V175
	200mm	WB WA WR	2	V200
	225mm	WB WA WR	2	V225
	250mm	WB WA WR	2	V250
Double Round Edge:	304mm	WB WA WR	2	V304
	404mm	WB WA WR	2	V404
Hollow Soffit (£ Price per 5m)				
	300mm	WB WA WR	5	H300
Hollow Soffit Trim (£ Price per 5m)				
	'J'	WB WA WR	10	HJ
	'H'	WB WA WR	10	HH

Woodgrain Roofline Joints & Trims

Product	Size	Colour	Qty	Code
In-Line Joint (£ Price each)				
	300 x 42mm	WB WA WR	10	RT1
	500 x 35mm	WB WA WR	10	RT2
RT2 - Double-ended joint is available to be cut to size.				
Corner Joint (£ Price each)				
	300 x 42mm	WB WA WR	10	RT4
	500 x 35mm	WB WA WR	10	RT5
RT5 - Double-ended joint is available to be cut to size.				
Internal Corner (£ Price each)				
	300 x 42mm	WB WA WR	1	RT7
Finial (£ Price each)				
	340mm	WB WA WR	1	RT23
In-Line Jointing Trim (£ Price per 5m)				
	10 x 20mm	WB WA WR	5	RT20



Woodgrain Window Systems

Product	Size	Colour	Code
Architrave-Pencil Round (£ Price per 5m)			
	45 x 6mm	WB WA WR	WT1
	65 x 6mm	WB WA WR	WT2
	95 x 6mm	WB WA WR	WT3
D Section (£ Price per 5m)			
	28 x 6mm	WB WA WR	WT4
Edge Fillet (£ Price per 5m)			
	20mm	WB WA WR	WT5
Quadrant (£ Price per 5m)			
	12mm	WB WA WR	WT6
	19mm	WB WA WR	WT7
Square (£ Price per 5m)			
	15 x 13mm	WB WA WR	WT8
Board End Moulding (£ Price per pair/per item)			
	42 x 50mm (pair)	WB WR	WT14
	42 x 315mm (1 item)	WB WR	WT15
Angle (£ Price per 5m)			
	100 x 80mm 90° Hollow	WB WR	WT30
	25 x 25mm 90° Rigid	WB WR	WT31
	50 x 50mm 90° Rigid	WB WR	WT32

Woodgrain Cladding Systems

BS EN 13245-2 Attestation Level 4

Product	Size	Colour	Qty	Code
V Joint Cladding (£ Price per 5m)				
	100mm	WB WA WR	5	C100
Shiplap Cladding (£ Price per 5m)				
	150mm	WB WA WR	5	C150
Top Edge Trim - Two Part (£ Price per 5m)				
	N/A	WB WA WR	5	CT1
Starter Trim (£ Price per 5m)				
	N/A	WB WA WR	5	CT2
Universal Channel (£ Price per 5m)				
	N/A	WB WA WR	5	CT3
Drip Trim (£ Price per 5m)				
	N/A	WB WA WR	5	CT4
External Corner (foiled) - Two Part (£ Price per 5m)				
	N/A	WB WA WR	5	CT5
Internal Corner (foiled) - Two Part (£ Price per 5m)				
	N/A	WB WA WR	5	CT6

Product	Size	Colour	Qty	Code
Centre Joint Trim (£ Price per 5m)				
	N/A	WB WA WR	5	CT7
Butt Joint Trim (£ Price per 5m)				
	150mm	WB WA WR	10	CT8

Woodgrain Fixings



A4 Stainless Steel Pins/Nails with plastic heads.

Product	Size	Colour	Qty	Code
FloTop Pin (£ Price per 250 box)				
	30mm	B BR	1	FP30
	40mm	B AG BR	1	FP40
FloTop Nail (£ Price per 100 box)				
	50mm	B AG BR	1	FN50
	65mm	B AG BR	1	FN65
Clad Pin (£ Price per 250 box)				
	30mm	N/A	1	CP30
	50mm	N/A	1	CP50

Please note when ordering:

When ordering Woodgrain products add the colour reference letter to the end of the product code.

WB Black Ash

WA Anthracite Grey

WR Rosewood

When ordering FloTop products add the colour reference letter to the end of the product code.

B Black **BR** Brown

AG Anthracite Grey





Rainwater Systems

FloPlast Rainwater Systems offer a wide choice of profile design, both traditional and modern, in a range of colours to suit all tastes and applications.

FloPlast Rainwater Systems benefit from a 10 Year Performance and Colour Guarantee on the black, white, brown, grey and anthracite ranges and 20 years for the "Cast Iron" style systems. Register your guarantee online today.

The FloPlast Rainwater Systems have been awarded the prestigious BSI Kitemark (KM 501316) (excluding MiniFlo and "Cast Iron" Style).



Range Benefits



Consistent
Product Finish



Tough &
Durable



Certified &
Guaranteed



Resistant to
Colour Fade

Please note when ordering:

Add the colour reference code to your order

B Black **W** White **BR** Brown **G** Grey **AG** Anthracite Grey **CI** Cast Iron Style



112mm Half Round System

Compatible with 68mm Round Downpipe Fittings.

Standard: BS EN 607,
BS EN 12200 -1, BS EN 1462



Product	Colour	Qty	Code
Gutter			
	2m B W BR G AG	6	RG2
	3m B W BR G AG	6	RG3
	4m B W BR G AG	6	RG4
Angle 90°			
	B W BR G AG	20	RA1
Angle 135°			
	B W BR G AG	20	RA2
Adjustable Angle 50° - 156°			
	B W BR	1	RA3
Angle - Any Angle			
	B W BR G AG	1	RA9
FloPlast will fabricate any non-standard angle to special order.			
Running Outlet			
	B W BR G	20	RO1
Stopend Outlet			
	B W BR G AG	20	RO2

Product	Colour	Qty	Code
External Stopend			
	B W BR G AG	20	RE1
Internal Stopend			
	B W BR G AG	20	RE2
Fascia Bracket			
	B W BR G AG	100	RK1
Union Bracket			
	B W BR G AG	30	RU1
R/H Half Round to Cast Iron Ogee Gutter Adaptor			
	B W G	10	RD3
L/H Half Round to Cast Iron Ogee Gutter Adaptor			
	B W G	10	RD4
Half Round to Half Round Cast Iron Adaptor			
	B W BR G AG	10	RD5
Silicone Lubricant Spray (200ml)			
	N/A	12	SL200

68mm Round Downpipe Fittings

Compatible with Half Round, Square Line, Niagara Ogee and Hi-Cap. Standard: BS EN 12200 - 1



Product	Colour	Qty	Code
Pipe			
	2.5m 	6	RP2.5
	4m 	6	RP4
	5.5m 	6	RP5.5
92½° Offset Bend			
		20	RB1
112½° Offset Bend			
		30	RB2
Shoe			
		30	RB3
Shoe with Fixing Lugs			
		10	RB4
Must be used in conjunction with RC4 and RS2.			
Pipe Socket			
		20	RS1
Pipe Socket with Fixing Lugs			
		10	RS2
Must be used in conjunction with RC4 and RB4.			

Product	Colour	Qty	Code
Pipe Clip			
		100	RC1
		20	RC1
Single Fix Pipe Clip			
		10	RC3
Pipe Clip with Fixing Lugs			
		10	RC4
RC4 must be used in conjunction with RS2 and RB4.			
Spacer Bracket (8mm)			
		10	RC9
67½° Branch			
		10	RY1
NEW Access Pipe (65mm Square/68mm Round)			
		5	RX2



114mm Square Line System

Compatible with FloPlast 65mm Square Downpipe Fittings.

Standard: BS EN 607,
BS EN 12200 - 1, BS EN 1462



Product	Colour	Qty	Code
Gutter			
	2m 	6	RGS2
	3m 	6	RGS3
	4m 	6	RGS4
Angle 90°			
		20	RAS1
Angle 135°			
		20	RAS2
Adjustable Angle 50° - 156°			
		1	RAS3
Angle - Any Degree			
		1	RAS9
FloPlast will fabricate any non-standard angle to special order.			
Running Outlet			
		20	ROS1
Stopend Outlet			
		20	ROS2

Product	Colour	Qty	Code
External Stopend			
		20	RES1
Internal Stopend			
		20	RES2
Fascia Bracket			
		100	RKS1
Union Bracket			
		30	RUS1
Round to Square Gutter Adaptor			
		10	RDS1
R/H Square to Cast Iron Ogee Gutter Adaptor			
		10	RDS3
L/H Square to Cast Iron Ogee Gutter Adaptor			
		10	RDS4
Half Round Cast Iron to Square Gutter Adaptor			
		10	RDS5
Silicone Lubricant Spray (200ml)			
	N/A	12	SL200

65mm Square Downpipe Fittings

Compatible with Square Line or Niagara Ogee Guttering Systems.

Standard: BS EN 12200 -1



Product	Colour	Qty	Price
Pipe			
	2.5m	B W BR AG	6 RPS2.5
	4m	B W BR AG	6 RPS4
	5.5m	B W BR AG	6 RPS5.5
92 1/2° Offset Bend			
	B W BR AG	20	RBS1
112 1/2° Offset Bend			
	B W BR AG	30	RBS2
Shoe			
	B W BR AG	30	RBS3
Shoe with Fixing Lugs			
	B W	2	RBS4
RBS4 must be used in conjunction with RCS4 and RSS2.			
Adjustable Offset Bend			
	B W BR	10	RBS5
67 1/2° Branch			
	B W BR AG	10	RYS1
65mm Square to 68mm Round Downpipe Adaptor			
	B W BR AG	10	RDS2

Product	Colour	Qty	Code
Pipe Socket			
	B W BR AG	20	RSS1
Pipe Socket with Fixing Lugs			
	B W	2	RSS2
RSS2 must be used in conjunction with RCS4 and RBS4.			
Pipe Clip			
	B W BR AG	100	RCS1
Flush Pipe Clip			
	B W BR AG	100	RCS2
Single Fix Pipe Clip			
	B W BR AG	10	RCS3
Pipe Clip with Fixing Lugs			
	B W	5	RCS4
RCS4 must be used in conjunction with RBS4 and RSS2.			
NEW Access Pipe (65mm Square/68mm Round)			
  	B W BR AG	5	RX2
Spacer Bracket (8mm)			
	B W	10	RCS9

110mm Niagara Ogee System

Use with 68mm Round, 65mm Square or 80mm Round Downpipe.

Standard: BS EN 607,
BS EN 12200 -1, BS EN 1462



Product	Colour	Qty	Code
4m Gutter			
	B W BR AG	4	RGN4
90° Internal Angle			
	B W BR AG	10	RAN1
90° External Angle			
	B W BR AG	10	RAN2
135° Internal Angle			
	B W BR AG	10	RAN3
135° External Angle			
	B W BR AG	10	RAN4
Angle - Any Degree			
	B W BR AG	1	RAN9
FloPlast will fabricate any non-standard angle to special order.			
Multi Fit Running Outlet - 65mm Square/68mm Round			
	B W BR AG	10	RON1
65mm Square L/H Stopend Outlet			
	B W BR AG	10	RON2

Product	Colour	Qty	Code
65mm Square R/H Stopend Outlet			
	B W BR AG	10	RON3
80mm Round Running Outlet			
	B W AG	10	RON4
80mm Round L/H Stopend Outlet			
	B W	10	RON5
80mm Round R/H Stopend Outlet			
	B W	10	RON6
L/H External Stopend			
	B W BR AG	10	REN1
R/H External Stopend			
	B W BR AG	10	REN2
L/H Internal Stopend			
	B W BR	10	REN3
R/H Internal Stopend			
	B W BR	10	REN4

Product	Colour	Qty	Code
Fascia Bracket			
	B W BR AG	20	RKN1
Top Hung Fascia Bracket			
	B W BR	20	RKN2
Union Bracket			
	B W BR AG	10	RUN1
Niagara to Half Round R/H Gutter Adaptor			
	B W BR	5	RNR3
Niagara to Half Round L/H Gutter Adaptor			
	B W BR	5	RNR4
Niagara to Square R/H Gutter Adaptor			
	B W BR	5	RNS3
Niagara to Square L/H Gutter Adaptor			
	B W BR	5	RNS4



115mm Hi-Cap System

Compatible with 68mm or 80mm Round Downpipe.

Standard: BS EN 607,
BS EN 12200 -1, BS EN 1462



Product	Colour	Qty	Code
4m Gutter			
	B W BR G AG	6	RGH4
90° Angle			
	B W BR G AG	10	RAH1
135° Angle			
	B W BR G AG	10	RAH2
Angle - Any Degree			
	B W BR G AG	1	RAH9
FloPlast will fabricate any non-standard angle to special order.			
68mm Running Outlet			
	B W BR G AG	10	ROH1
80mm Running Outlet			
	B W G AG	10	ROH4
68mm Stopend Outlet			
	B W BR G AG	10	ROH2
External Stopend			
	B W BR G AG	10	REH1

Product	Colour	Qty	Code
Internal Stopend			
	B W BR G AG	10	REH2
Fascia Bracket			
	B W BR G AG	20	RKH1
Top Hung Fascia Bracket			
	B W	20	RKH2
Union Bracket			
	B W BR G AG	10	RUH1
Floating Union Bracket			
	B W	10	RUH2
Half Round to Hi-Cap Gutter Adaptor			
	B W BR	1	RHR3
Square Line to Hi-Cap Gutter Adaptor			
	B W BR	1	RHS3
Silicone Lubricant Spray (200ml)			
	N/A	12	SL200

80mm Round Downpipe Fittings

Compatible with Niagara Ogee or Hi-Cap Systems.

Product	Colour	Qty	Code
4m Pipe			
	B W G AG	4	RPH4
92½° Offset Bend			
	B W G AG	10	RBH1
112½° Offset Bend			
	B W G AG	10	RBH2
Shoe			
	B W G AG	10	RBH3
Single Fix Pipe Clip			
	B W G AG	20	RCH3
67½° Branch			
	B W G AG	10	RYH1
Pipe Socket			
	B W G AG	10	RSH1
80mm x 110mm Adaptor (£/unit)			
	N/A	10	D97

Hoppers



Product	Colour	Qty	Code
Universal Hopper (65mm Square/68mm Round)			
	B W BR G AG	5	RHS1
Hopper (80mm Round)			
	B W G AG	2	RHH1
XtraFlo Hopper (110mm Round)			
	B W G	1	RHX1



76mm MiniFlo System

Compatible with 50mm Round Downpipe.
Standard: BS EN 607, BS EN 12200 - 1, BS EN 1462

Product	Colour	Qty	Code
2m Gutter			
	B W BR G AG	6	RGM2
90° Angle			
	B W BR G AG	5	RAM1
135° Angle			
	B W BR G	5	RAM2
Angle - Any Degree			
	B W BR G AG	1	RAM9
Running Outlet			
	B W BR G AG	5	ROM1
Stopend Outlet			
	B W BR G AG	5	ROM2
Stopend			
	B W BR G AG	10	REM1
Fascia Bracket			
	B W BR G AG	10	RKM1
Union Bracket			
	B W BR G AG	5	RUM1

50mm Round Downpipe Fittings

To be used in conjunction with FloPlast 76mm MiniFlo System.

Product	Colour	Qty	Code
2m Pipe			
	B W BR G AG	6	RPM2
92 1/2° Offset Bend			
	B W BR G AG	10	RBM1
112½° Offset Bend			
	B W BR G AG	10	RBM2
Shoe			
	B W BR G AG	5	RBM3
Single Fix Pipe Clip			
	B W BR G AG	10	RCM1
67½° Branch			
	B W BR G AG	10	RYM1
Pipe Socket			
	B W BR G AG	5	RSM1
Product	Colour	Qty	Code
Half Shed Pack			
	B AG	1	MS1
This Pack Includes: 2x 1m Gutter, 1x Union Bracket, 2x Fascia Bracket, 1x External Stopend, 1x Stopend Outlet, 2x 1m Downpipe, 2x Offset Bend, 2x Pipe Clip and 1x MiniFlo Diverter.			

EcoFlo Diverters & Storage

Product	Colour	Qty	Code
65mm Square & 68mm Round Rainwater Diverter			
	B W BR G AG	1	RVS1
80mm Round Rainwater Diverter			
	B W G AG	1	RVH1
MiniFlo 50mm Round Rainwater Diverter			
	B W BR G AG	1	RVM1
Connector Kit			
	B W	1	RVS2
100L Slim Water Butt (Black)			
	N/A	1	WB100
100L Slim Water Butt Stand			
	N/A	1	ST100
210L Water Butt (Black)			
	N/A	1	WB200
210L Slim Water Butt Stand			
	N/A	1	ST200

Spare Gutter Seals


Product	Qty	Code
Half Round Gutter Seal		
	1	RRS1
Square Line Gutter Seal		
	1	RRSS1
Hi-Cap Gutter Seal		
	1	RRHS1
Niagara Ogee Gutter Seal		
	1	RRNS1
MiniFlo Gutter Seal		
	1	RRMS1
XtraFlo Gutter Seal		
	1	RRXS1

Spare Gutter Clips

Product	Colour	Qty	Code
Half Round Gutter Clip			
	B W BR G AG	1	RRC1
Square Line Gutter Clip			
	B W BR G AG	1	RRSC1
Hi-Cap Gutter Clip			
	B W BR G AG	1	RRHC1
Niagara Ogee Gutter Clip			
	B W BR G AG	1	RRNC1
XtraFlo Gutter Clip			
	B W G	1	RRXC1

170mm XtraFlo System

To be used in conjunction with 110mm Round Downpipe.

Product	Colour	Qty	Code
4m Gutter			
	B W G	4	RGX4
90° Angle			
	B W G	5	RAX1
Angle - Any Degree			
	B W G	1	RAX9
Running Outlet			
	B W G	5	ROX1
Fascia Bracket			
	B W G	10	RKX1
Union Bracket			
	B W G	10	RUX1
External Stopend			
	B W G	10	REX1
Internal Stopend			
	B W G	10	REX2

110mm Round Downpipe Fittings

To be used in conjunction with FloPlast 170mm XtraFlo System.

Product		Colour	Qty	Code
Plain Ended Pipe				
	3m	B W G	2	SP1
	4m	B G	2	SP2
Single Socket Pipe				
	1m	B W G	2	SP8
	2.5m	B W G	2	SP7
	3m	B W G	2	SP3
	4m	B W G	2	SP4
Shoe				
		B W G	10	SP171
Pipe Clip				
		B W G	10	SP82
Offset Bend 135° (45°) - Ring Seal Top/Solvent Bottom				
		B W G	10	SP440
Offset Bend 135° (45°) - Spigot/Solvent Socket				
		B W G	10	SP435
92½° Soil Pipe Branch				
		B W G	5	SP190
92½° Soil Pipe Access Bend				
		B W G	5	SP169
Socket/Spigot Access Pipe				
		B W G	10	SP274
XtraFlo Hopper (110mm Round)				
		B W G	1	RHX1

"Cast Iron" Style Rainwater Systems

Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

The FloPlast "Cast Iron" Style Rainwater systems offer the authentic look of Cast Iron with all the benefits of PVC. The perfect complement to our "Cast Iron" Style 110mm Ring Seal Soil System.



"Cast Iron" Style 112mm Half Round System

Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Product	Colour	Qty	Code
Gutter			
	2m		6 RG2
	4m		6 RG4
Angle 90°			
		2	RA1
Angle 135°			
		2	RA2
Angle - Any Angle			
		1	RA9
FloPlast will fabricate any non-standard angle to special order.			
Running Outlet			
		2	RO1
Stopend Outlet			
		2	RO2
External Stopend			
		2	RE1
Internal Stopend			
		2	RE2
Fascia Bracket			
		10	RK1
Union Bracket			
		2	RU1

Compatible with 68mm Round Downpipe Fittings.

Product	Colour	Qty	Code
R/ H Half Round to Cast Iron Ogee Gutter Adaptor			
		1	RD3
L/ H Half Round to Cast Iron Ogee Gutter Adaptor			
		1	RD4
Half Round to Half Round Cast Iron Adaptor			
		1	RD5

Spare Gutter Clips

Product	Colour	Qty	Code
Half Round Gutter Clip			
		1	RRC1
Niagara Ogee Gutter Clip			
		1	RRNC1
Hi-Cap Gutter Clip			
		1	RRHC1

Spare Gutter Seals

Product	Qty	Code
Half Round Gutter Seal		
	1	RRS1
Niagara Ogee Gutter Seal		
	1	RRNS1
Hi-Cap Gutter Seal		
	1	RRHS1

"Cast Iron" Style 115mm Hi-Cap System

Product	Colour	Qty	Code
4m Gutter			
	ci	6	RGH4
90° Angle			
	ci	2	RAH1
135° Angle			
	ci	2	RAH2
Angle - Any Degree			
	ci	1	RAH9
FloPlast will fabricate any non-standard angle to special order.			
68mm Running Outlet			
	ci	2	ROH1
68mm Stopend Outlet			
	ci	2	ROH2
External Stopend			
	ci	2	REH1
Internal Stopend			
	ci	2	REH2
Fascia Bracket			
	ci	10	RKH1
Union Bracket			
	ci	2	RUH1

Compatible with 68mm Round Downpipe.

"Cast Iron" Style 68mm Round Downpipe & Fittings

Standard: BS EN 12200 -1

Product	Colour	Qty	Code
2.5m Pipe			
	ci	6	RP2.5
92½° Offset Bend			
	ci	2	RB8
112½° Offset Bend			
	ci	2	RB6
Shoe with Fixing Lugs			
	ci	2	RB4
Requires 2 x FC50 fixings. See page 32.			
Pipe Clip			
	ci	5	RC4
Requires 2 x FC50 fixings. See page 32.			
Pipe Socket			
	ci	2	RS2
Requires 2 x FC50 fixings. See page 32.			
67½° Branch			
	ci	2	RY1
NEW Access Pipe (65mm Square/68mm Round)			
  	ci	2	RX2

Compatible with 'Cast Iron' Style Half Round/Hi-Cap/Niagara Ogee.

"Cast Iron" Style 110mm Niagara Ogee System

Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Product	Colour	Qty	Code
4m Gutter			
	ci	4	RGN4
90° Internal Angle			
	ci	2	RAN1
90° External Angle			
	ci	2	RAN2
135° Internal Angle			
	ci	2	RAN3
135° External Angle			
	ci	2	RAN4
Angle - Any Degree			
	ci	1	RAN9
FloPlast will fabricate any non-standard angle to special order.			
Multi Fit Running Outlet - 65mm Square/68mm Round			
	ci	2	RON1
65mm Square L/H Stopend Outlet			
	ci	2	RON2
65mm Square R/H Stopend Outlet			
	ci	2	RON3

Use with 68mm Round or 65mm Square Downpipe.

Product Brochure | 2026 | Rainwater Systems

Product	Colour	Qty	Code
L/H External Stopend			
	ci	2	REN1
R/H External Stopend			
	ci	2	REN2
L/H Internal Stopend			
	ci	2	REN3
R/H Internal Stopend			
	ci	2	REN4
Fascia Bracket			
	ci	10	RKN1
Union Bracket			
	ci	2	RUN1

Accessories & Fittings

Product	Colour	Price
Cast Iron Fixings - 12 Gauge x 50mm (Price per 10 Bag)		
	ci	1 FC50
65mm Square & 68mm Round Rainwater Diverter		
	ci	1 RVS1

"Cast Iron" Style 65mm Square Downpipe Fittings

Standard: BS EN 12200 -1

Product	Colour	Qty	Code
2.5m Pipe			
	ci	6	RPS2.5
92½° Offset Bend			
	ci	2	RBS8
112½° Offset Bend			
	ci	2	RBS6
Shoe with Fixing Lugs			
	ci	2	RBS4
Must be used in conjunction with RCS4 and RSS2. Requires 2 x FC50 fixings.			
Pipe Clip with Fixing Lugs			
	ci	5	RCS4
Must be used in conjunction with RBS4 and RSS2. Requires 2 x FC50 fixings.			
Pipe Socket with Fixing Lugs			
	ci	2	RSS2
Must be used in conjunction with RCS4 and RBS4. Requires 2 x FC50 fixings.			
67½° Branch			
	ci	2	RYS2
Square to Round Downpipe Adaptor			
	ci	2	RDS2
NEW Access Pipe (65mm Square/68mm Round)			
  	ci	2	RX2

"Cast Iron" Style Hoppers

Product	Colour	Qty	Code
Universal Hopper (65mm Square/68mm Round)			
	ci	1	RH1
Ogee Hopper w/ Fixing Lugs (65mm Square/68mm Round)			
	ci	1	RH4
Requires 2x FC50 Fixings.			
Rectangular Hopper w/ Fixing Lugs (Square/68mm Round)			
	ci	1	RH5
Requires 2x FC50 Fixings. Product is rotationally moulded, so subject to bowing along its length up to +/- 4%.			

Motifs for Hoppers

Product	Size	Colour	Qty	Code
Fleur-de-Lis				
	55mm	ci	1	FL55 ¹
	75mm	ci	1	FL70 ²
Tudor Rose				
	40mm	ci	1	TR55 ¹
	55mm	ci	1	TR70 ²
Decorative Square				
	40mm	ci	1	DS55 ¹
	70mm	ci	1	DS70 ²
Lion's Head				
	75mm	ci	1	LH55 ²
	90mm	ci	1	LH70 ²

¹ Motifs can be used with RH4 and RH5. ² Motifs cannot be used with RH4

Stormsaver Rainwater Harvesting



With the average home owner using around 150 litres of water per day, the Stormsaver Rainwater Harvesting System will enable the metered home owner to recycle rainwater and potentially reduce their bills by up to 50%, whilst remaining kinder to the environment.

StormSaver can also alleviate pressure on local drainage in line with Sustainable Drainage Schemes (SuDS), to help prevent flood risk.

Benefits of using StormSaver:


- ✓ Uses over 75% less energy than other traditionally pumped Rainwater Harvesting Systems.
- ✓ Low decibel rating.
- ✓ Flow rate of 10 litres per minute (same as mains pressure).
- ✓ Compact control unit.
- ✓ Ideal for new build properties with up to 6 bedrooms.

Product	Size	Qty	Code
Stormsaver Package			
	1500L	1	S1500
	3000L	1	S3000
	5000L	1	S5000
	7500L	1	S7500

Package Includes: Underground Storage Tank, 235mm Entrance Shaft, Duty Lid, Control Panel, ½" Floating Suction Filter Kit, 20m ½" Flexible Suction Hose.

Product	Size	Qty	Code
110mm Non-Return Valve-Single Flap			
	N/A	1	D550

Leaf & Weather Protection

Product	Colour	Qty	Code
GutterBrush Debris Eliminator (4m Length)			
	B W	10	GB4
FloGuard Leaf Protection System (5m Pack)			
	B	1	FG1
BalloonGuard Outlet Guard			
	B	10	OG1
DrainGuard			
	B	1	DG1
Snow/Tile Guard (2m Length)			
	N/A	10	SG1
Snow/Tile Guard Bracket			
	N/A	25	SG2

Ancillaries

Product	Colour	Qty	Code
Universal Rise & Fall Bracket			
	N/A	10	RF1
Rafter Bracket Top Fix			
	N/A	10	RR1
	B	10	RR1
Rafter Bracket Side Fix			
	N/A	10	RR2
	B	10	RR2
Silicone Lubricant Spray (200ml)			
	N/A	12	SL200
Universal Fascia Bracket Spacer (8mm)			
	B W	10	RS9
Universal Rainwater Adaptor			
	N/A	10	D96
150mm x 150m Temporary Rainwater Downpipe			
	N/A	1	RPT150
150mm x 150m Temporary Rainwater Downpipe			
	B W	10	RPA1

For use with square line and niagara guttering, compatible with 65mm square and 68mm round downpipe.



Soil & Waste Systems

FloPlast offer a comprehensive choice of Soil and Waste systems and products, in a range of sizes and colours, to suit all tastes and applications.

The FloPlast 'Cast Iron' Style Soil Systems offer the authentic look of Cast Iron with all the benefits of PVC. This soil system complements the well-established Half Round, Niagara & Hi-Cap 'Cast Iron' Style Rainwater Systems.

FloPlast 32/40/50mm ABS Solvent Weld, 110mm Solvent and Ring Seal Soil Products have been awarded the BSI Kitemark.



Range Benefits



Consistent
Colour Finish



Tough &
Durable



Lightweight
Design



Great Chemical
Compatibility



Air Admittance Valves

Standard: BS EN 12380 Attestation Level 4



Product	Colour	Qty	Code
82/110mm Air Admittance Valve Push-Fit			
	B W G	12	AF110
For 82mm solvent connection, remove seal from 110mm push-fit.			
110mm Air Admittance Valve Solvent			
	B W G	12	AV110
82/110mm External Air Admittance Valve			
	B W G AG	12	AX110
For 82mm solvent connection, remove seal from 110mm push-fit.			
32/40/50mm Air Admittance Valve Solvent			
	W	10	AF32
32mm Air Admittance Valve Compression			
	W	10	AV32
40mm Air Admittance Valve Compression			
	W	10	AV40
50mm Air Admittance Valve Compression			
	W	10	AV50

Soil-WC Connectors

Standard: BS EN 1329-1, BS 5627

Product	Colour	Qty	Code
Swan Neck Connector			
	W	10	SP100
Straight Connector			
	W	10	SP101
Offset Connector			
	W	10	SP102
90° Bend Connector			
	W	10	SP103
250mm Extension Connector			
	W	10	SP104
Flexible Connector			
	W	15	SP106
14° Connector			
	W	10	SP108

110mm Ring Seal Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1



Product	Colour	Qty	Code
Plain Ended Pipe (Bale Qty 50) (£/unit)			
	3m B W G AG	2	SP1
	4m B	2	SP2
Single Socket Pipe (Bale Qty 50) (£/unit)			
	1m B W G	2	SP8
	2.5m B G	2	SP7
	3m B W G AG	2	SP3
	4m B W G	2	SP4
Pipe Clip			
	B W G AG	10	SP82
Socket Clip			
	B G	10	SP83
Double Socket Pipe Coupling			
	B W G AG	10	SP105
Can be used as a Slip Coupler with removal of centre tabs.			
Single Socket Pipe Coupling			
	B W G	20	SP124
	AG	10	SP124
Socket/Spigot Access Pipe			
	B W G AG	10	SP274

Product	Colour	Qty	Code
Socket/Solvent Socket Access Pipe			
	B G	5	SP275
92½° (87½°) Socket/Spigot Bend			
	B W G AG	10	SP161
92½° (87½°) Double Socket Bend			
	B W G AG	10	SP561
112½° (67½°) Socket/Spigot Bend			
	B W G	10	SP162
135° (45°) Socket/Spigot Bend			
	B W G AG	10	SP163
135° (45°) Double Socket			
	B W G AG	10	SP563
92½° (87½°) Access Bend			
	B W G AG	5	SP169

110mm Ring Seal Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1



Product	Colour	Qty	Code
0-90° Adjustable Bend			
	B W G AG	2	SP560
SP560 is made of PP, therefore it isn't suitable for Solvent Weld.			
135° (45°) Ring Seal Top/Solvent Bottom Offset Bend			
	B W G	10	SP440
135° (45°) Spigot/Solvent Socket Offset Bend			
	B W G	10	SP435
92½° (87½°) Branch			
	B W G AG	5	SP190
92½° (87½°) Triple Socket Tee			
	B W G AG	5	SP191
112½° (67½°) Branch			
	B W G	5	SP200
135° (45°) Branch			
	B W G	3	SP210
92½° (87½°) Double Branch			
	B W G AG	1	SP230

Product	Colour	Qty	Price
92½° (87½°) Corner Branch			
	B W G	1	SP232
Please note that the SP232 will be made to order.			
92½° (87½°) Access Branch			
	B W G	5	SP502
Screwed Access Cap			
	B W G AG	5	SP292
Socket Plug			
	B W G AG	10	SP296
Strap Boss			
	B W G AG	10	SP319
Socket/Spigot Boss Pipe			
	B W G	5	SP581
Socket/Solvent Socket Boss Pipe			
	B G	5	SP582
Short Boss Pipe			
	B W G AG	5	SP583

Ring Seal Reducers & Adaptors

Standard: BS EN 1329-1, BS EN 1453-1

Product	Colour	Qty	Code
Soil Manifold - 32/40/50mm Connections			
	B G	1	SP588
Weathering Collar			
	B W G	5	SP300
Vent Terminal			
	B W G AG	5	SP302
Extract Cowl			
	B W G	1	SP310
Weathering Slate 500x600mm			
	N/A	1	SP320
110mm Fire Protection Collar			
	N/A	1	FC110

Product	Colour		Qty	Code
Boss Adaptor - Rubber Push-Fit				
	32mm	N/A	10	SP10
	40mm	N/A	10	SP11
	50mm	N/A	10	SP12
Solvent Boss Adaptor				
	32mm	B W G AG	10	SP20
	40mm	B W G AG	10	SP21
	50mm	B W G	10	SP22
110mm to 32/40/50mm Waste Adaptor				
	B W G		10	SP95
Use with an appropriate Boss Adaptor.				
110x68mm Rainwater Reducer				
	B W G		10	SP96
110x82mm Soil Reducer				
	G		1	SP97
Universal Waste Adaptor - 32/40/50mm				
	N/A		10	D95
Drain Connector				
	B G		10	SP107
Universal Pipe Connector - Adapt to Soil/Clay/Drainage				
	B G		1	SP140

"Cast Iron" Style 110mm Ring Seal Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1

The FloPlast 'Cast Iron' Style Rainwater and Soil Systems offer the authentic look of Cast Iron with all the benefits of PVC.

This soil system complements the well-established Half Round, Niagara & Hi-Cap 'Cast Iron' Style Rainwater Systems.



Product	Colour	Qty	Code
1.8m Plain Ended Pipe			
	ci	2	SP9
110mm Pipe Coupling			
	ci	3	SP115
The 110mm Pipe Coupling requires 2 x FC65 Fixings.			

Product	Colour	Qty	Code
Pipe Clip			
	ci	5	SP84
The Pipe Clip requires 2 x FC65 Fixings.			
Cast Iron Fixings (£ Price per Bag of 10)			
	ci	1	FC65

"Cast Iron" Style 110mm Ring Seal Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1

Product	Colour	Qty	Code
8mm Pipe Spacer Bracket			
	CI	5	SP89
92 1/2° (87 1/2°) Socket/Spigot Bend with Socket Shroud			
	CI	3	SP161
92½° (87½°) Double Socket Bend with Socket Shroud			
	CI	3	SP561
135° (45°) Socket/Spigot Bend with Socket Shroud			
	CI	5	SP163
135° (45°) Double Socket Bend with Socket Shroud			
	CI	3	SP563
92½° (87½°) Access Bend with Socket Shroud			
	CI	2	SP169
92½° (87½°) Branch & Socket Shroud with Side Bosses			
	CI	2	SP190
92½° (87½°) Branch & Socket Shroud without Side Bosses			
	CI	2	SP192

Product	Colour	Qty	Code
92½° (87½°) Double Branch with Socket Shroud			
	CI	1	SP230
Socket/Spigot Access Pipe with Socket Shroud			
	CI	2	SP274
Socket/Spigot Boss Pipe with Socket Shroud			
	CI	2	SP581
Strap Boss			
	CI	2	SP319
Use Solvent Cement with caution, or use external Silicone Sealant.			
110mm Vent Terminal			
	CI	2	SP302
110mm Weathering Collar			
	CI	2	SP300
Weathering Slate 500x600mm			
	N/A	1	SP320

110mm Solvent Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1



Product	Colour	Qty	Code
Pipe - Plain Ended			
	3m  	2	SS1
	4m 	2	SS2
Pipe Clip			
	 	10	SS82
Double Socket Pipe Coupling			
	 	10	SS106
Single Socket Solvent/Ring Seal Pipe Coupling			
	 	10	SS107
135° (45°) Ring Seal Top Solvent Bottom Offset Bend			
	 	10	SS440
135° (45°) Spigot/Socket Offset Bend			
	 	10	SS435
92½° (87½°) Double Socket Bend			
	 	10	SS561
135° (45°) Double Socket Bend			
	 	10	SS563

Product	Colour	Qty	Code
90° Spigot/Socket Bend			
	 	10	SS168
92½° (87½°) Double Socket Access Bend			
	 	5	SS569
92½° (87½°) Triple Socket Branch			
	 	5	SS191
135° (45°) Triple Socket Branch			
	 	5	SS211
92½° (87½°) Triple Socket Access Branch			
	 	5	SS503
Vent Terminal			
	 	10	SS302
Short Boss Pipe			
	 	10	SS583
Strap Boss			
	 	10	SS319

110mm Solvent Soil Systems

Standard: BS EN 1329-1, BS EN 1453-1



Product		Colour	Qty	Code
Boss Adaptor				
	32mm	 	10	SS20
	40mm	 	10	SS21
Double Socket Access Pipe				
		 	10	SS275

Product	Colour	Qty	Code
Screwed Access Cap			
	 	10	SS292



Use FloPlast's Solvent Cement when installing any Solvent Weld Pipe & Fittings, see page 51.

ABS Solvent Weld Waste Systems

Standard: BS EN 1455-1



Product	Size	Colour	Qty	Code
3m Wastepipe				
	32mm	  	20	WS01
	32mm		10	WS01
	40mm	  	20	WS02
	40mm		10	WS02
	50mm	  	10	WS03
Straight Coupling				
	32mm	  	25	WS07
	32mm		10	WS07
	40mm	  	25	WS08
	40mm		10	WS08
	50mm	  	10	WS09
90° Bend				
	32mm	  	25	WS10
	32mm		10	WS10
	40mm	  	25	WS11
	40mm		10	WS11
	50mm	  	10	WS12

Product	Size	Colour	Qty	Code
92½° (87½°) Bend				
	32mm	  	25	WS14
	32mm		10	WS14
	40mm	  	25	WS15
	40mm		10	WS15
	50mm	  	10	WS16
135° (45°) Bend				
	32mm	  	25	WS18
	32mm		10	WS18
	40mm	  	25	WS19
	40mm		10	WS19
	50mm	  	10	WS20
Tee				
	32mm	  	25	WS22
	32mm		10	WS22
	40mm	  	25	WS23
	40mm		10	WS23
	50mm	  	5	WS24

Please note the dimensions of WS22 changed from January 2023, see our website for more details.

ABS Solvent Weld Waste Systems

Standard: BS EN 1455-1



Product	Size	Colour	Qty	Code
90° Conversion Bend				
	32mm	  	25	WS26
	32mm		10	WS26
	40mm	  	25	WS27
	40mm		10	WS27
	50mm	  	5	WS28
135° (45°) Conversion Bend				
	32mm	  	10	WS76
	40mm	  	10	WS77
Access Plug				
	32mm	  	10	WS30
	32mm		5	WS30
	40mm	  	10	WS31
	40mm		5	WS31
	50mm	  	5	WS32
Pipe Clip				
	32mm	  	100	WS34
	32mm		50	WS34
	40mm	  	100	WS35
	40mm		50	WS35
	50mm	  	10	WS36
135° (45°) Branch				
	32mm		10	WS42
	40mm	 	10	WS43
90½° (87½°) Cross Tee				
	40mm		10	WS58

Product	Size	Colour	Qty	Code
Reducer				
	40 x 32mm	  	25	WS38
	40 x 32mm		10	WS38
	50 x 32mm	   	5	WS39
	50 x 40mm	  	5	WS40
Level Invert Reducer				
	40 x 32mm		10	WS50
Tank Connector				
	32mm	 	10	WS60
	40mm	 	10	WS61
Male Adaptor				
	32mm		5	WS63
	40mm		5	WS64
Female Adaptor				
	32mm		5	WS66
	40mm		5	WS67



Use FloPlast's Solvent Cement when installing any Solvent Weld Pipe & Fittings, see page 51.

Push-Fit Waste Systems

Standard: BS EN 1451-1

Product	Size	Colour	Qty	Code
3m Wastepipe				
	32mm	B W G	20	WP01
	40mm	B W G	20	WP02
	50mm	G	10	WP03
Straight Coupling				
	32mm	B W G	25	WP07
	40mm	B W G	25	WP08
	50mm	G	10	WP09
90° Bend				
	32mm	B W G	25	WP10
	40mm	B W G	25	WP11
	50mm	G	10	WP12
92½° (87½°) Bend				
	32mm	B W G	25	WP14
	40mm	B W G	25	WP15
	50mm	G	10	WP16
135° (45°) Bend				
	32mm	B W G	25	WP18
	40mm	B W G	25	WP19
	50mm	G	10	WP20
Tee				
	32mm	B W G	20	WP22
	40mm	B W G	20	WP23
	50mm	G	10	WP24
90° Conversion Bend				
	32mm	B W G	10	WP26
	40mm	B W G	10	WP27
Socket Plug				
	32mm	B W G	10	WP30
	40mm	B W G	10	WP31
	50mm	G	5	WP32

Product	Size	Colour	Qty	Code
Pipe Clip				
	32mm	B W G	100	WP34
	40mm	B W G	100	WP35
	50mm	G	10	WP36
Reducer				
	40 x 32mm	B W G	10	WP38
	50 x 32mm	G	5	WP39
	50 x 40mm	G	5	WP40
Tank Connector				
	32mm	B W G	10	WP60
	40mm	B W G	10	WP61
Silicone Lubricant Spray				
	200ml	N/A	12	SL200

FlexiFlo Connectors



Provides a
Watertight Seal



Great Chemical
Compatibility



Ideal for
Small Spaces

Product	Size	Qty	Code
Coupling			
	30 - 38mm	10	WF07
	38 - 45mm	10	WF08
Elbow			
	40 - 48mm	10	WF11
	105 - 116mm	1	SP111

Waste Traps and Fittings

Standard: BS EN 274-1

Product	Size	Colour	Qty	Code
38mm Seal 'P' Trap				
	32mm		25	TP33
	40mm		5	TP43
76mm Seal 'P' Trap				
	32mm		10	TP37
	40mm		1	TP47
38mm Seal 'S' Trap				
	32mm		25	TS33
	40mm		25	TS43
76mm Seal 'S' Trap				
	32mm		5	TS37
	40mm		5	TS47
76mm Seal Telescopic 'P' Trap				
	40mm		1	TP47T
38mm Seal Shallow Bath Trap				
	40mm		1	TSB42
50mm Seal Low Level Bath Trap				
	40mm		1	TLB45
Washing Machine Trap				
	40mm		1	TW470

Product	Size	Colour	Qty	Code
76mm Seal Washing Machine Kit				
	40mm		20	TW471
76mm Seal Running 'P' Trap				
	40mm		1	TR47
76mm Seal Single Bowl Sink Kit				
	40mm		1	TW472
76mm Seal 1 1/2° Bowl Sink Kit				
	40mm		1	TW475
76mm Seal Double Bowl Sink Kit				
	40mm		1	TW476
76mm Seal Double Nozzle Trap				
	40mm		1	TW477
76mm Seal Appliance Half 'P' Trap				
	40mm		20	TW473
76mm Seal Appliance Half Bottle Trap				
	40mm		1	TW474

Waste Traps and Fittings

Standard: BS EN 274-1

Product	Size	Colour	Qty	Code
38mm Seal Bottle Trap				
	32mm		1	TB33
	40mm		1	TB43
76mm Seal Bottle Trap				
	32mm		1	TB37
	40mm		1	TB47
76mm Seal Anti Vac Bottle Trap				
	32mm		1	TB37A
	40mm		1	TB47A
76mm Seal Telescopic Bottle Trap				
	32mm		5	TB37T
	40mm		5	TB47T
Plain Swivel Elbow				
	32mm		10	WC26
	40mm		10	WC27
Washing Machine Tee				
	40mm		10	TWT41
Washing Machine/Dishwasher Nozzle				
	40mm		1	THC40
Overflow & Hose Connector				
	40mm		5	THC41

Product	Size	Colour	Qty	Code
Trap Height Adjustor				
	32mm		5	TA33
	40mm		5	TA43
76mm Seal Telescopic Pedestal Trap				
	32 x 32mm		1	TD372T
	32 x 40mm		25	TD374T
Patent No. GB236258. Registered Design No. 2092016				
Plastic Grid Shower Traps				
	40 x 19mm		25	TH41
	40 x 50mm		1	TH51
Chrome Grid Shower Trap				
	40 x 19mm		25	TH43
	40 x 50mm		25	TH53
Trap Seal Kits (4 Piece)				
	32mm	N/A	1	TK32
	40mm	N/A	1	TK40

Unicom Compression Waste

Standard: BS EN 1451-1

Product	Size	Colour	Qty	Code
3m Wastepipe				
	32mm		20	WP01
	40mm		20	WP02
Straight Coupling				
	32mm		10	WC07
	40mm		10	WC08
90° Bend				
	32mm		10	WC10
	40mm		10	WC11
0-90° Adjustable Bend				
	32mm		10	WC14
	40mm		10	WC15
135° (45°) Bend				
	32mm		10	WC18
	40mm		10	WC19
Tee				
	32mm		10	WC22
	40mm		10	WC23
90° Conversion Bend				
	32mm		10	WC26
	40mm		10	WC27
Reducer				
	40 x 32mm		10	WC38
Flexi-Tube				
	32mm		25	FT32
	40mm		25	FT40

"Chrome" Style Compression Waste

Standard: BS EN 1455, BS EN 1451-1, BS EN 274

Product	Size	Colour	Qty	Code
1.1m Wastepipe				
	32mm		1	CW01
	40mm		1	CW02
Straight Coupling				
	32mm		1	CW07
	40mm		1	CW08
90° Bend				
	32mm		1	CW10
	40mm		1	CW11
Tee				
	32mm		1	CW22
	40mm		1	CW23
Pipe Clip				
	32mm		3	CW34
	40mm		3	CW35

"Chrome" Style Waste Traps

Standard: BS EN 274-1

Product	Size	Colour	Code
76mm Seal Telescopic Bottle Trap			
	32mm		CT37T
	40mm		CT47T

21.5 mm Overflow Waste Systems

Product	Colour	Qty	Code
3m Overflow Pipe			
	B W	10	OS01
Straight Coupling			
	B W	100	OS10
90° Bend			
	B W	100	OS11
135° (45°) Bend			
	B W	100	OS12
Tee			
	B W	100	OS13
Straight Tank Connector			
	B W	25	OS14
Bent Tank Connector			
	B W	25	OS15
Pipe Clip			
	B W	100	OS16
Overflow Waste Reducer			
	32mm	B W	10 OS17
	40mm	B W	10 OS18

Ancillaries

Product	Size	Qty	Code
Silicone Lubricant Spray			
	200ml	12	SL200
Lubricant Gel			
	800g	12	SG800
Silicone Grease			
	100g	1	SG100
Solvent Cement			
	125ml	10	SC125
	250ml	12	SC250



Master3Plus Acoustic Soil and Waste Systems

110 & 160mm Soil and 40 & 50mm Waste

Soil and waste pipes are essential service technology in buildings, but they can be noisy and disruptive.

Pipelife's state-of-the-art acoustic soil and waste pipe system, Master3Plus, is made to meet today's construction and

housing challenges in terms of quality, sound insulation, ease of installation and service life. Three functional pipe layers, top-quality material, and a well-thought-out product design deliver tangible benefits for designers, installers, investors as well as dwellers.



110mm Acoustic Soil System

Standard: EN 1451-1

Product		Colour	Qty	Code
Socketed Pipe				
	1m		1	SA1
	2m		1	SA2
	3m		1	SA3
Silent Clamp Double				
			42	SA83
Silent Clamp Single				
			84	SA82
Double Socket Coupler				
			20	SA105

Product	Colour	Qty	Code
Long Socket Coupler			
		15	SA124
Socket Plug			
		20	SA296
Access Pipe			
		20	SA274
Ventilation Branch			
		12	SAV110

110mm Acoustic Soil System

Standard: EN 1451-1

Product	Colour	Qty	Code
87½° Single Socket Bend			
	B	20	SA161
87½° Double Socket Bend			
	B	20	SA561
67½° Single Socket Bend			
	B	20	SA220
45° Single Socket Bend			
	B	20	SA163
45° Double Socket Bend			
	B	24	SA563
30° Single Socket Bend			
	B	20	SA164
15° Single Socket Bend			
	B	20	SA167
87½° Single Socket Long Bend			
	B	20	SA281
87½° Double Socket Long Bend			
	B	20	SA571
87½° Swept Branch			
	B	14	SA190
87½° Reducing Branch 110 - 50mm			
	B	24	SA19050

Product	Colour	Qty	Code
87½° Reducing Triple Socket Branch 110 - 50mm			
	B	24	WA87RTS
Reducing Double Branch 110 - 50			
	B	5	WA58R
87½° Triple Socket Swept Branch			
	B	15	SA191
67½° Branch			
	B	14	SA200
67½° Reducing Branch 110 - 50mm			
	B	20	WA67R
45° Branch			
	B	16	SA181
45° Reducing Branch 110 - 50mm			
	B	20	SA21050
45° Triple Socket Branch			
	B	16	SA581
87½° Double branch 110 - 110			
	B		SA230
87½° Corner Branch 110 - 110			
	B	12	SA232

160mm Acoustic Soil System

Standard: EN 1451-1

Product	Code	Colour	Qty	Price
3m Plain Ended Pipe				
	6SA3	B	1	169.78
Silent Clamp Double				
	6SA83	B	1	53.04
Silent Clamp Single				
	6SA82	B	1	36.61
Double Socket Coupler				
	6SA105	B	1	24.83
87½° Single Socket Bend				
	6SA161	B	1	36.82
45° Single Socket Bend				
	6SA163	B	1	28.81
30° Single Socket Bend				
	6SA164	B	1	27.72
15° Single Socket Bend				
	6SA167	B	1	26.90
87½° Branch				
	6SA190	B	1	49.07
87½° Reducing Branch 160 - 110mm				
	6SA198	B	1	43.61

Product	Code	Colour	Qty	Price
45° Branch				
	6SA210	B	1	49.07
45° Reducing Branch 160 - 110mm				
	6SA218	B	1	45.58
Socket Plug				
	6SA296	B	1	8.78
Access Pipe				
	6SA274	B	1	55.53



40mm Acoustic Waste System





Standard: EN 1451-1









Product	Colour	Code
3m Plain Ended Pipe		
	B	1 WA02
Double Socket Coupler		
	B	20 WA08
Long Coupler		
	B	20 WA08L
30° Single Socket Bend		
	B	20 WA05
67½° Single Socket Bend		
	B	20 WA13
87½° Single Socket Bend		
	B	20 WA15
87½° Double Socket Bend		
	B	20 WA15DS
45° Single Socket Bend		
	B	20 WA19
45° Double Socket Bend		
	B	20 WA19DS
87½° Branch		
	B	20 WA23

Product	Colour	Code
87½° Triple Socket Branch		
	B	20 WA23TS
45° Branch		
	B	20 WA42
45° Triple Socket Branch		
	B	20 WA42TS
45° Reducing Branch 40-32mm		
	B	30 WA39R
Socket Plug		
	B	40 WA31

50mm Acoustic Waste System

Standard: EN 1451-1

Product	Colour	Qty	Code
3m Plain Ended Pipe			
	B	1	WA03
2m Socketed Pipe			
	B	1	WAS03
Double Socket Coupler			
	B	20	WA09
Long Coupler			
	B	20	WA09L
15° Single Socket Bend			
	B	20	WA04
30° Single Socket Bend			
	B	20	WA06
45° Single Socket Bend			
	B	20	WA20
45° Double Socket Bend			
	B	20	WA20DS
67½° Single Socket Bend			
	B	20	WA17
87½° Single Socket Bend			
	B	20	WA16

Product	Colour	Qty	Code
87½° Double Socket Bend			
	B	20	WA16DS
87½° Single Socket Long Radius Bend			
	B	20	WA16L
87½° Double Socket Long Radius Bend			
	B	20	WA16LDS
87½° Branch			
	B	20	WA24
87½° Branch Triple Socket			
	B	20	WA87TS
87½° Reducing Branch 50-40m			
	B	20	WA23R
67½° Branch			
	B	20	WA25
45° Branch			
	B	20	WA44
45° Branch Triple Socket			
	B	24	WA44TS
45° Reducing Branch 50-40m			
	B	20	WA44R

50mm Acoustic Waste System

Standard: EN 1451-1

Product	Colour	Qty	Code
Access Pipe			
	B	25	WA92
Socket Plug			
	B	40	WA32

Acoustic Soil & Waste Siphons

Standard: EN 1451-1

Product	Colour	Qty	Code
90° Siphon Adaptor Elbow 40mm			
	B	20	SA11
Siphon Adaptor Straight 40mm			
	B	20	SA31
90° Siphon Adaptor Elbow 50mm			
	B	20	SA12
Siphon Adaptor Straight 50mm			
	B	20	SA32

Acoustic Soil & Waste Reducers

Standard: EN 1451-1

Product	Colour	Qty	Code
Reducer 160 - 110mm			
	B	1	SA99
Reducer 110 - 50mm			
	B	1	SA95
Short Reducer 110 - 50mm			
	B	1	WA42R
Short Reducer 110 - 40mm			
	B	1	WA41R
Short Reducer 50 - 40mm			
	B	60	WA40R
Internal Reducer 110 - 50mm			
	B	1	WA82R
Internal Reducer 110 - 40mm			
	B	1	WA81R
Internal Reducer 50 - 40mm			
	B	60	WA80R
Eccentric Reducer 50 - 40mm			
	B	20	WA50R



Underground Drainage Systems

FloPlast Underground Drainage Systems are available in 110mm and 160mm sizes. All drainage pipes and the majority of fittings are manufactured from unplasticised Polyvinyl Chloride (PVC-U). Inspection chambers, 0 - 90° adjustable bend, bottle gully traps and gully grids are manufactured from polypropylene.

FloPlast socketed underground pipe utilises the latest blown end technology and conforms to SN8 standards. The easy fit rubber seal is held in place via a circular plastic insert allowing a retention of the seal in transit and a perfect connection for jointing.

All Push-Fit underground fittings have a captive seal and snap cap. These are designed to be user-friendly with no sharp edges and with space restrictions in mind, allow for an easy fit connection. The seal is double ribbed, and the sockets incorporate a recessed area to provide space for the rubber seal to locate as the pipe is inserted, forming a high-capacity pressure point.



Range Benefits



Tough &
Durable



Withstands
High Temps.



Lightweight
Design



Wide Range
of Fittings

110mm Pipe & Fittings

Standard: BS EN 1401-1, BS EN 13476-2, BS 4962

Product	Qty	Code
Plain Ended Pipe (Bale Qty 50) (£/unit)		
	3m	1 D043
	6m	1 D046
Single Socket Pipe (Bale Qty 50) (£/unit)		
	3m	1 D143
	6m	1 D146
Perforated Plain Ended Pipe (Bale Qty 50) (£/unit)		
	6m	1 D046P
Single Socket Pipe Coupling (£/unit)		
	10	D124
Double Socket Coupling (£/unit)		
	20	D105
Can be used as a Slip Coupler with removal of centre tabs.		
87½° Single Socket Bend (£/unit)		
	Spigot/Socket 10	D161
45° Single Socket Bend (£/unit)		
	Socket/Spigot 10	D163
30° Single Socket Bend (£/unit)		
	Socket/Spigot 10	D164

110mm Fittings



Product	Qty	Code
15° Single Socket Bend (£/unit)		
	Socket/Spigot 10	D167
87½° Double Socket Bend (£/unit)		
	10	D561
45° Double Socket Bend (£/unit)		
	10	D563
30° Double Socket Bend (£/unit)		
	10	D564
15° Double Socket Bend (£/unit)		
	10	D567
0-90° Adjustable Bend (£/unit)		
	10	D560
87½° Rest Bend (£/unit)		
	5	D571
87½° Settlement Rest Bend (£/unit)		
	2	D570

110mm Pipe & Fittings

Product	Qty	Code
87½° Plain End Large Radius Bend (£/unit)		
	1	D281
45° Plain End Large Radius Bend (£/unit)		
	1	D283
87½° Plain End w/ Channel Access Large Radius Bend (£/unit)		
	1	D581
45° Plain End with Channel Access Large Radius Bend (£/unit)		
	1	D583
87½° Equal Junctions Double Socket (£/unit)		
	5	D190
45° Equal Junctions Double Socket (£/unit)		
	5	D210
87½° Equal Junctions Triple Socket (£/unit)		
	5	D191
45° Equal Junctions Triple Socket (£/unit)		
	5	D211

110mm Pipe & Fittings



Product	Qty	Code
87½° Access Bend (£/unit)		
 Socket/Spigot	1	D169
Access Pipe (£/unit)		
 Socket/Spigot	5	D274
Screwed Access Cap (£/unit)		
 N/A	1	D292
1m PE Channel Access Pipe (£/unit)		
	1	D870
PVC Oval Rodding Point (£/unit)		
 Spigot	5	D881
PVC Oval Rodding Point (£/unit)		
 Socketed	5	D882
PVC Square Rodding Point (£/unit)		
 Spigot	5	D883
PVC Square Rodding Point (£/unit)		
 Socketed	1	D884

110mm Gullys

Standard: BS EN 1401-1



Product	Qty	Code
45° Universal Gully Trap (£/unit)		
 Socket / Spigot	1	D500
90° Low Back 'P' Trap (£/unit)		
 Socket / Spigot	1	D501
Leaf/Debris Interceptor Gully (£/unit)		
 Adjustable Spigot	1	D94
Circular Grid Bottle Gully (£/unit)		
 110mm Socket	1	D510
Square Grid Bottle Gully (£/unit)		
 110mm Socket	1	D515
Rectangular Grid Bottle Gully (£/unit)		
 110mm Socket	1	D520
Rectangular Grid Back Inlet Bottle Gully (£/unit)		
 110mm Socket	1	D530
Square Grid Back Inlet Bottle Gully (£/unit)		
 110mm Socket	1	D535

Product	Qty	Code
Circular Grid Back Inlet Bottle Gully (£/unit)		
 110mm Socket	1	D540
Riser (£/unit)		
 200mm	1	D505
Single Flap Non-Return Valve (£/unit)		
 110mm	1	D550
110mm Socket Plug (£/unit)		
	5	D296
110mm Contract Socket Plug (£/unit)		
	1	D800P

110mm Adaptors

Standard: BS EN 1401-1

Product	Qty	Code
Drain Connector		
 B G	10	SP107
98 - 115mm Flexible Coupling		
	1	D102
98 - 115mm to 120 - 136mm Flexible Adaptor (£/unit)		
	1	D103

110mm Adaptors

Standard: BS EN 1401-1

Product	Qty	Code
110mm to 32/40/50mm Waste Adaptor (£/unit)		
 BWG	10	SP95
Use with an appropriate Boss Adaptor.		
110 x 68mm Rainwater Adaptor (£/unit)		
 BWG	10	SP96
32/40/50mm Universal Waste Adaptor (£/unit)		
	10	D95
110 x 65mm Square/68mm Round Rainwater Adaptor (£/unit)		
	10	D96
80 x 110m Adaptor (£/unit)		
	10	D97
160 x 110mm Socket/Spigot Level Invert Adaptor (£/unit)		
	1	D99
Supersleve Clay DS Adaptor (£/unit)		
	1	D100
Hepsleve Clay DS Adaptor (£/unit)		
	1	D101

110mm Hoppers & Grids

Standard: BS EN 1401-1

Product	Qty	Code
Universal Square Hopper w/ PP Grid (£/unit)		
	10	D504
Universal Rectangular Hopper w/ PP Grid (£/unit)		
	5	D506
Universal Trap Square Grid (£/unit)		
	10	D502
Universal Trap Rectangle Blank Grid Cover (£/unit)		
	5	D507
Universal Trap Square Blank Grid Cover (£/unit)		
	5	D508
Round Hopper with Grid (£/unit)		
	1	D514
Square Hopper with Grid (£/unit)		
	1	D518
Rectangular Hopper with Grid (£/unit)		
	1	D524

160mm Pipe & Fittings

Standard: BS EN 1401-1, BS EN 13598-1&2, BS EN 13476-2, BS EN 124



Product	Qty	Code
Plain Ended Pipe (Bale Qty 28)		
 6m	1	6D046
Single Socket Pipe (Bale Qty 28)		
 3m	1	6D143
6m	1	6D146
Double Socket Coupling		
	1	6D105
Double Socket Slip Coupling		
	1	6D105S
87½° Single Socket Bend		
 Spigot / Socket	1	6D161
45° Single Socket Bend		
 Socket / Spigot	1	6D163
30° Single Socket Bend		
 Socket / Spigot	1	6D164
15° Single Socket Bend		
 Socket / Spigot	1	6D167

Product	Qty	Code
87½° Double Socket Bend		
	1	6D561
45° Double Socket Bend		
	1	6D563
30° Double Socket Bend		
	1	6D564
15° Double Socket Bend		
	1	6D567
87½° Equal Junctions Double Socket		
	1	6D190
45° Equal Junctions Double Socket		
	1	6D210
87½° Equal Junctions Triple Socket		
	1	6D191
45° Equal Junctions Triple Socket		
	1	6D211

160mm Fittings

Standard: BS EN 1401-1, BS EN 13598-1&2, BS EN 13476-2, BS EN 124

Product	Qty	Code
87½° 160/110mm Unequal Junction		
 Double Socket	1	6D198
45° 160/110mm Unequal Junction		
 Double Socket	1	6D218
Single Flap Non-Return Valve		
 160mm	1	6D550

160mm Adaptors & Plugs

Standard: BS EN 1401-1, BS EN 13598-1&2, BS EN 13476-2, BS EN 124

Product	Qty	Code
160 x 110mm Socket/Spigot Level Invert Adaptor		
 Socket / Spigot	1	D99
Cast Iron 160mm Flexi-Adaptor		
	1	6D102
160 - 180mm to 180 - 200mm Clay Adaptor		
	1	6D104
Socket Plug		
	1	6D900P



Large Inspection Chamber (LIC) and Fittings

Standard: BS EN 1401-1, BS EN 13598-1&2, BS EN 13476-2, BS EN 124

Product	Size	Qty	Code
LIC with 3 x160mm and 2 x110mm Fixed Inlets (£/unit)			
	450mm diameter x 270mm deep	1	6D900
160 x 160mm 90° Chamber Base with two 45° 110mm Inlets.			
LIC with 5 x 110mm Flexible Inlets (£/unit)			
	450mm diameter x 270mm deep	1	D900
5 x 110mm flexible inlets allow for 0-20° of movement. Supplied with 4 socket plugs.			
LIC with 5 x 110mm Fixed Inlets (£/unit)			
	450mm diameter x 270mm deep	1	D910
Supplied with 4 socket plugs.			
Extension Riser (£/unit)			
	235mm	1	D915
Can be cut to size.			
Extension Riser & Seal (£/unit)			
	235mm	1	D916
Extention riser can be cut to size.			
Riser Sealing Ring (£/unit)			
	340mm	1	D935
Please note that a D935 should be used with each riser.			
Plastic Cover & Round Frame - A15 Rating (£/unit)			
	450mm	1	D930

Product	Size	Qty	Code
Plastic Cover & Round Frame - A15 Rating (£/unit)			
 	450mm	1	D931
350mm restricted access. For use with I.C over 1.2m deep up to 3m.			
Ductile Iron Cover & Plastic Frame - A15 Rating (£/unit)			
	450mm	1	D924
For replacement purposes only. From the end of June 2023, this product replaced D923 Cast Iron Cover & Plastic Frame.			
Square/Round Block Paving Cover (£/unit)			
	450mm	1	D933
Ductile Iron Cover/Frame - B125 Rating (£/unit)			
	450mm	1	D934
Conforms to the requirements of SfA7.			
Plastic Cover & Square Frame - A15 Rating (£/unit)			
	450mm	1	D940
Achieved an A15 Rating.			
Plastic Cover & Square Frame - A15 Rating (£/unit)			
	450mm	1	D941
350mm restricted access. For use with I.C over 1.2m deep up to 3m.			

Mini Access Chamber (MAC) and Fittings

Standard: BS EN 1401-1, BS EN 124, BS EN 13598 -1 & 2

Product	Size	Qty	Code
MAC with 5 x 110mm Flexible Inlets			
	300mm diameter x 270mm deep	1	D800
5 x flexible inlets allow for 0-20° of movement. Supplied with 4 socket plugs.			
MAC with 3 x 110mm 45° Flexible Inlets			
	300mm diameter x 270mm deep	1	D801
3 x flexible inlets allow for 0-20° of movement. Supplied with 2 socket plugs.			
MAC with 3 x 110mm 90° Flexible Inlets			
	300mm diameter x 270mm deep	1	D802
3 x flexible inlets allow for 0-20° of movement. Supplied with 2 socket plugs.			
MAC with 3 x 110mm 45° Fixed Inlets			
	300mm diameter x 270mm deep	1	D810
Supplied with 2 socket plugs.			
Chamber Riser with Integral Rubber Ring			
	100mm	10	D820
Available for cutting down to 60mm.			
Chamber Riser with Integral Rubber Ring			
	200mm	5	D822
Can be cut down to 60/100/150mm heights.			
Square Sealed Plastic Screw Down Cover & Frame			
	340mm	5	D830
Achieved an A15 Rating.			

Product	Size	Qty	Code
Round Sealed Plastic Screw Down Cover & Frame			
	300mm	1	D831
Achieved an A15 Rating.			
Square/Round Block Paving Cover			
	300mm	1	D932
Lubricant Gel			
	800g	12	SG800

Level Invert Chamber and Fittings

Standard: BS EN13598

Product	Size	Qty	Price
Level Invert Chamber			
	310mm diameter x 210mm deep	1	D814
5 x inlets with blanking plugs.			
315mm Chamber Riser			
	170mm	10	D824
315mm Square Cover & Frame			
	200mm	1	D834

FloDrain 110mm Channel Drainage

Standard: BS EN 1433 Attestation level 3

Product	Qty	Code
Plastic Grate Garage Pack (Pallet Qty 16)		
	1	D750
Includes: 3x 1m Channel Lengths, 1x End Cap & 1x End Outlet.		
1m Plastic Grate Channel Drainage (Pallet Qty 90)		
	1	D700
Plastic Grate Drain Corner		
	6	D710
Plastic Grate Sump/Trap Unit & Basket		
	1	D732
End Cap		
	10	D711
End Outlet		
	10	D712
1m Threshold Channel Drain		
	1	D730

Product	Qty	Code
Galvanised Grate Garage Pack (Pallet Qty 16)		
	1	D751
Includes: 3x 1m Channel Lengths, 1x End Cap & 1x End Outlet.		
1m Galvanised Grate Channel Drainage (Pallet Qty 90)		
	1	D701
Galvanised Grate Drain Corner		
	6	D720
Galvanised Grate Sump/Trap Unit & Basket		
	1	D733

CHANNEL DRAINAGE FEATURES AND BENEFITS

- Suitable for domestic areas where surface water collects; driveways, pathways, patios, conservatories, swimming pools, sports areas, gardens, water features and retaining walls.
- Quality domestic surface channel drainage 110mm x 100mm.
- Garage pack available (3 x 1m lengths, End Cap and Outlet).
- Manufactured to BS EN 1433, with a load class A15 - 1.5 tonne.
- 4 outlets per length for maximum flexibility.
- Quad section for corners and junctions.

Land Drainage

Standard: BS 4962 Licence No: KM557607

Land drainage is used to remove water & hydrostatic pressure from any area where excess water is a problem.

The perforations allow seeping water to ingress the pipe, capillary action then maintains the water within the pipe allowing it to flow to its destination.

Particularly beneficial in areas with heavy ground conditions i.e. clay, and agricultural or building construction sites.

Product	Size	Qty	Code
Land Drainage			
	80mm x 25m	1	L8025
	100mm x 25m	1	L10025
Size (Nominal Length x Coil Length)			
110mm Perforated Plain Ended Pipe (Bale Qty 50)			
	6m	1	D046P
Coupling			
	80mm	1	LC80
	100mm	1	LC100
Multi-Junction Branch			
	60/80/100m	1	LJ100

Drainage Crate

Standard: BS 4962 Licence No: KM557607

The DC20 Drainage Crate is designed to control stormwater by capturing and storing excess surface runoff.


It slowly releases the collected water back into the surrounding soil or drainage infrastructure, helping to prevent flooding and water logging.

Ideal for use in landscaped environments, the system supports both soakaway and attenuation functions. Each unit is made using durable, injection-moulded components for reliable performance and structural integrity in domestic installations.

GroundGuard

A lightweight and durable grass reinforcement, ground stabilisation and gravel retention system.

Manufactured from Polyethylene, GroundGuard is 90% porous, providing effective drainage of surface water. The robust system holds up to 200 tonnes per m², making it ideal for driveways, overflow lawn car parks, walkways, disabled access routes, shed bases and other vehicle access areas.

Product	Size	Qty	Code
GroundGuard Tiles 20 Pack = 3 ² m (Price per Pack of 20)			
	390 x 390 x 40mm	1	G40
			

Product	Size	Qty	Code
Drainage Crate (Pallet Qty 12)			
	1000 x 500 x 400mm	1	DC20



MDPE Systems

FloPlast 'Supreme' range offers everything you could ask of a compression fitting. Suitable for use below ground on cold water services with polyethylene pipes manufactured in accordance with the requirements of BS EN 12201 - 2 (BLUE). All the 'Supreme' range of fittings are WRAS approved to resist pressure up to 16 bar.

Simple and quick to connect:

- To fit the pipe you don't need to dismantle the connector or chamfer the pipe.
- No time wasted; just cut the pipe, insert pipe liner, lubricate the seal, undo the nut a few turns, push the pipe in as far as it will go, tighten the nut and it's done!

Range Benefits



High Impact
Structure



Easy to
Install



WRAS
Approved

'Supreme' MDPE Fittings

Standard: BS EN 12201-2



Product	Size	Qty	Code
Pipe Liner			
	20mm	50	491000
	25mm	50	492000
	32mm	25	493000
Coupling			
	20mm	10	495112
	25mm	10	496112
	32mm	10	493012
	50mm	1	495012
	63mm	1	496012
90° Elbow			
	20mm	10	495115
	25mm	10	496115
	32mm	10	493015
	50mm	1	495015
	63mm	1	496015
90° Tee			
	20mm	10	495124
	25mm	10	496124
	32mm	10	493024
	50mm	1	495024
	63mm	1	496024
Terminal Cap			
	20mm	10	491006
	25mm	10	492006
	32mm	10	493006
Stopcock			
	20mm	1	495142
	25mm	1	496142
	32mm	1	493042
Reducing Coupling			
	25 x 20mm	10	496113
	32 x 25mm	10	493213
	50 x 32mm	1	495313

Product	Size	Qty	Code
Reducing 90° Tee			
	25 x 20 x 25mm	1	492125
	32 x 25 x 32mm	1	493225
	50 x 32 x 50mm	1	495325
Wall Plate Elbow			
	20mm x 1/2"	10	495105
	25mm x 3/4"	10	496105
Universal Adaptor - Fits plastic, lead, copper & zinc pipes			
	20 x 15-21mm	1	491007
	25 x 15-21mm	1	492007
	25 x 21-27mm	1	492008
	25 x 27-34mm	1	492009
Adaptor Kit for Copper Pipe			
	20 x 15mm	1	495103
	25 x 22mm	1	496103
Male Adaptor			
	20mm x 1/2"	10	491102
	20mm x 3/4"	10	495102
	25mm x 1/2"	10	492102
	25mm x 3/4"	10	496102
	25mm x 1"	10	492302
	32mm x 3/4"	1	493202
	32mm x 1"	1	493302
Female Adaptor			
	20mm x 1/2"	10	491103
	20mm x 3/4"	10	495203
	25mm x 1/2"	10	492103
	25mm x 3/4"	10	496203
	25mm x 1"	10	492303
	32mm x 3/4"	1	493203
	32mm x 1"	1	493303

MDPE Pipe



Nom. Size	Qty	Code
25m Medium Density Polyethylene Pipe Coil		
20mm	1	111601
25mm	1	112601
32mm	1	113601
50mm	1	115601
63mm	1	116601
50m Medium Density Polyethylene Pipe Coil		
20mm	1	111602
25mm	1	112602
32mm	1	113602
50mm	1	115602
63mm	1	116602
100m Medium Density Polyethylene Pipe Coil		
20mm	1	111603
25mm	1	112603
32mm	1	113603
50mm	1	115603
63mm	1	116603
150m Medium Density Polyethylene Pipe Coil		
20mm	1	111604
25mm	1	112604
32mm	1	113604
50mm	1	115604
63mm	1	116604





Hot & Cold Plumbing Systems

FloFit+ is a flexible and fully demountable push-fit plumbing system suitable for all domestic and small commercial hot & cold water installations.

FloFit+ enables the installer to undertake a faster, easier and more cost effective installation. Independent testing confirms time savings of up to 40% compared with traditional plumbing materials.

FloFit+ has a wide range of fittings in 10mm, 15mm, 22mm and 28mm sizes, both are WRAS approved for use with plastic and/or copper pipe, and Kitemarked to BS 7291 Parts 1, 2 & 3.



Range Benefits



Made in the UK



Lightweight Design



Superior White Finish



Underfloor Compatible



Fully Demountable



FloFit+ Fittings

Standard: BS 7291 Parts 1, 2 & 3



Product	Size	Qty	Code
Elbow			
	10mm	10	FB10
	15mm	10	FB15
	22mm	10	FB22
	28mm	2	FB28
Tee			
	10mm	10	FT10
	15mm	10	FT15
	22mm	10	FT22
	28mm	2	FT28
Coupling			
	10mm	10	FC10
	15mm	10	FC15
	22mm	10	FC22
	28mm	2	FC28
Stop End			
	10mm	10	FE10
	15mm	10	FE15
	22mm	10	FE22
	28mm	2	FE28
Reducing Tee			
	15 x 10 x 10mm	5	FRT151010
	15 x 15 x 10mm	5	FRT151510
	15 x 15 x 22mm	5	FRT151522
	22 x 15 x 15mm	5	FRT221515
	22 x 15 x 22mm	5	FRT221522
	22 x 22 x 10mm	5	FRT222210
	22 x 22 x 15mm	5	FRT222215
	22 x 22 x 28mm	2	FRT222228
	28 x 22 x 22mm	2	FRT282222
	28 x 22 x 28mm	2	FRT282228
	28 x 28 x 15mm	2	FRT282815
	28 x 28 x 22mm	2	FRT282822

Product	Size	Qty	Code
Pipe Insert			
	10mm	50	FXI10
	15mm	50	FXI15
	22mm	50	FXI22
	28mm	20	FXI28
Bent Tap Connector			
	15mm	50	FBC1512
Tap Connector			
	15mm x 1/2"	5	FTC1512
	15mm x 3/4"	5	FTC1534
	22mm x 3/4"	5	FTC2234
Stem Elbow			
	10mm	5	FS10
	15mm	5	FS15
	22mm	5	FS22
A Pipe Insert is required when using a Stem Elbow or Stem Reducer.			
Stem Reducer			
	10 x 15mm	5	FSR1015
	15 x 22mm	5	FSR1522
	15 x 28mm	1	FSR1528
	22 x 28mm	1	FSR2228
A Pipe Insert is required when using a Stem Elbow or Stem Reducer.			
Reducing Coupling			
	15 x 10mm	5	FRC15
	22 x 15mm	5	FRC22
Collet Clip - Blue Cold Water			
	10mm	50	FCB10
	15mm	50	FCB15
	22mm	50	FCB22
	28mm	10	FCB28

FloFit+ Fittings

Standard: BS 7291 Parts 1, 2 & 3

Product	Size	Qty	Code
Collet Clip - Red Hot Water			
	10mm	50	FCR10
	15mm	50	FCR15
	22mm	50	FCR22
	28mm	10	FCR28
Flexi Hose			
	15mm x ½" x 300mm	FH10	FH10
	15mm x ¾" x 300mm	FH12	FH12
	15 x 15 x 300mm	FH15	FH15
	22mm x ¾" x 300mm	FH20	FH20
	22 x 22 x 300mm	FH22	FH22
2 Port Manifold			
	22 x 15mm	1	FM22215
4 Port Manifold			
	22 x 15mm	1	FM22415
Chrome ISO Valve			
	15 x 15mm	1	FV15



FloFit+ Pipe

Standard: BS 7291 Parts 1, 2 & 3




Product	Nom. Size	Qty	Code
3m White PEX Barrier Pipe			
	15mm x 3m	20	121400
	22mm x 3m	20	122400
	28mm x 3m	10	122413
3m White Easy-Lay PB Pipe			
	15mm x 3m	20	124400
	22mm x 3m	20	125400
25m White Easy-Lay PB Pipe Coil			
	10mm	1	123401
	15mm	1	124401
	22mm	1	125401
	28mm	1	126401
50m White Easy-Lay PB Pipe Coil			
	10mm	1	123402
	15mm	1	124402
	22mm	1	125402
	28mm	1	126402
100m White Easy-Lay PB Pipe Coil			
	10mm	1	123403
	15mm	1	124403



Store Display Stand

To help with promoting this range, FloPlast offer a self contained display stand with shelving and dividers.

Contact your ASM for more details or for any other instore POS.



 FloPlast Limited.

Castle Road,
Eurolink Business Park,
Sittingbourne,
Kent, ME10 3FP
United Kingdom

 01795 431731 - Reception

 01795 421422 - Sales

 01795 431188

 sales@floplast.co.uk

 www.floplast.co.uk

 @floplastlimited

 /FloPlast Ltd

 /FloPlast Ltd

 @FloPlastLtd

All rights reserved in all media.
No part of this document may be reproduced in any form, copied or stored electronically, whole or in part without prior written permission. Every effort has been made to verify all information. Products may vary in appearance from those pictured. All information is correct at the time of going to print and may change without notice.